

## Spare part list for FX16/2051

| Position | Item No.                | Description                                                             | Quantity             |
|----------|-------------------------|-------------------------------------------------------------------------|----------------------|
| 20       | 04042                   | BASE PLATE H=55.0                                                       | 1 pc                 |
| 30       | 05100                   | GASKET-BASE PLATE                                                       | 1 pc                 |
| 40       | 05776                   | HEX.HEAD SCREW M10X60                                                   | 20 pc                |
| 50       | 06578                   | GASKET-LOWER VALVE PLATE ø80                                            | 3 pc                 |
| 70       | 06486                   | GASKET-UPPER VALVE PLATE                                                | 3 pc                 |
| 100      | 07940                   | DECOMPRESSION VALVE M24X1,5                                             | 3 pc                 |
| 110      | 05791                   | SEAL RING 24,2x27,8x2                                                   | 3 pc                 |
| 121      | 04965                   | PRESSURE REGULATOR OIL CPL.                                             | 1 pc                 |
| 178      | 05514                   | LOCKING SCREW 1/8"NPTF                                                  | 3 pc                 |
| 180      | 06828                   | HEX.HEAD SCREW M10X75                                                   | 39 pc                |
| 210      | 05097                   | GASKET RING 70X54X1,0                                                   | 1 pc                 |
| 220      | 05467                   | HEX.HEAD SCREW M12X80                                                   | 4 pc                 |
| 230      | 05983                   | FILTER SUCTION SIDE                                                     | 1 pc                 |
| 270      | 05993                   | PISTON PIN ø20X13X66                                                    | 6 pc                 |
| 280      | 05569                   | CIRCLIP 20X1 DIN 472                                                    | 12 pc                |
| 290      | 06369                   | DOUBLE BEVEL OIL CONT.RING 80                                           | 6 pc                 |
| 295      | 06368                   | OIL SCRAPER RING PISTON 80                                              | 6 pc                 |
| 300      | 06367                   | TAPERED COMPR.RING PIS.80 CHR.                                          | 6 pc                 |
| 331      | 05796                   | CAP NUT M27X2                                                           | 1 pc                 |
| 332      | 05800<br>05545<br>05528 | SCREW-IN FITTING DIN 8906<br>SEALING CAP 7/16"UNF<br>UNION NUT 7/16"UNF | 1 pc<br>1 pc<br>1 pc |
| 340      | 05113                   | GASKET RING 52X38X1,0                                                   | 1 pc                 |
| 350      | 06009                   | SOLDERED BUSH ø42                                                       | 1 pc                 |
| 360      | 05787                   | SQUARE FLANGE (NS32-38)                                                 | 1 pc                 |
| 361      | 05463                   | HEX.HEAD SCREW M12X50                                                   | 4 pc                 |
| 371      | 05797                   | CAP NUT M36X1,5                                                         | 1 pc                 |
| 372      | 05528<br>05545<br>05800 | UNION NUT 7/16"UNF<br>SEALING CAP 7/16"UNF<br>SCREW-IN FITTING DIN 8906 | 1 pc<br>4 pc<br>2 pc |
| 374      | 05112                   | GASKET RING 75X61X1,0                                                   | 1 pc                 |
| 375      | 05798                   | SOLDERED BUSH ø54                                                       | 1 pc                 |
| 376      | 05785                   | SQUARE FLANGE (NS50)                                                    | 1 pc                 |
| 377      | 05415                   | HEX.HEAD SCREW M16X50                                                   | 4 pc                 |
| 400      | 05111                   | GASKET RING 81,5X60X1                                                   | 2 pc                 |
| 410      | 05755                   | HEX.HEAD SCREW M16X110                                                  | 4 pc                 |
| 460      | 06951                   | OIL PUMP COMPLETE                                                       | 1 pc                 |
| 461      | 05752                   | T-PIECE WITH SCHRADER CONNECT.                                          | 1 pc                 |

|     |       |                                                          |       |
|-----|-------|----------------------------------------------------------|-------|
| 462 | 06580 | O-RING ø82,22X2,62                                       | 1 pc  |
| 470 | 05094 | GASKET-F.OIL P.+REAR BEAR.FL.                            | 2 pc  |
| 475 | 52031 | O-RING ø10,5x1,5<br>FOR MINERAL OIL-VERSION              | 1 pc  |
|     | 51924 | O-RING ø10,5x1,5; X-VERSION<br>FOR ESTER OIL/X-VERSION   | 1 pc  |
| 476 | 05724 | SEAL RING 26x20x1,5                                      | 1 pc  |
| 480 | 05439 | HEX.HEAD SCREW M8X70                                     | 8 pc  |
| 490 | 04804 | OIL STRAINER                                             | 1 pc  |
| 495 | 05793 | PRESSURE SPRING F.OIL STRAINER                           | 1 pc  |
| 500 | 05342 | SEAL RING 22x27x2                                        | 2 pc  |
| 505 | 06400 | LOCKING SCREW M22X1,5                                    | 1 pc  |
| 508 | 05801 | LOCKING SCREW 1/4"NPTF                                   | 1 pc  |
| 510 | 05514 | LOCKING SCREW 1/8"NPTF                                   | 2 pc  |
| 516 | 05368 | SEAL RING 31x26x2                                        | 1 pc  |
| 517 | 05792 | LOCKING SCREW W.MAGNET                                   | 1 pc  |
| 531 | 06681 | SCREW-IN FITTING DIN 8906                                | 1 pc  |
| 532 | 05531 | UNION NUT 5/8"UNF                                        | 1 pc  |
| 533 | 05547 | SEALING CAP 5/8"UNF                                      | 1 pc  |
| 534 | 06348 | LOCKING SCREW M22X1,5                                    | 1 pc  |
| 540 | 51723 | SCREW-IN ANGLE PIECE DIN 8906                            | 1 pc  |
| 545 | 05540 | SCREW-IN FITTING DIN 8906                                | 1 pc  |
| 546 | 05545 | SEALING CAP 7/16"UNF                                     | 1 pc  |
| 547 | 05528 | UNION NUT 7/16"UNF                                       | 1 pc  |
| 550 | 05528 | UNION NUT 7/16"UNF                                       | 1 pc  |
| 560 | 05545 | SEALING CAP 7/16"UNF                                     | 1 pc  |
| 570 | 06001 | SIGHT GLASS ø62                                          | 1 pc  |
| 580 | 05402 | HEX.HEAD SCREW M6X16                                     | 4 pc  |
| 590 | 05153 | O-RING ø34,59X2,62<br>FOR MINERAL OIL-VERSION            | 1 pc  |
|     | 51897 | O-RING ø34,59x2,62; X-VERSION<br>FOR ESTER OIL/X-VERSION | 1 pc  |
| 600 | 06236 | RING SCREW M12                                           | 2 pc  |
| 730 | 34237 | FRONT BEARING FLANGE,PRE-ASSE.                           | 1 pc  |
| 736 | 05708 | THREADED PIN M6X16                                       | 1 pc  |
| 745 | 06485 | GASKET-FRONT BEARING FLANGE                              | 1 pc  |
| 750 | 06080 | HEX.HEAD SCREW M10X30                                    | 12 pc |
| 755 | 06067 | CYLINDER HEAD SCREW M8X25                                | 8 pc  |
| 790 | 05883 | WOODRUFF KEY A10X16 DIN 6888                             | 1 pc  |
| 800 | 05999 | DISC W.LOCKING PIN                                       | 1 pc  |
| 810 | 05666 | SPRING WASHER B12                                        | 1 pc  |

|      |       |                                                                  |      |
|------|-------|------------------------------------------------------------------|------|
| 820  | 05462 | HEX.HEAD SCREW M12X40                                            | 1 pc |
| 830  | 06407 | PRESSURE SPRING                                                  | 1 pc |
| 850  | 06008 | O-RING ø59,69X5,33<br>FOR MINERAL OIL-VERSION                    | 1 pc |
|      | 51903 | O-RING ø59,69x5,33-S;X-VERSION<br>FOR ESTER OIL/X-VERSION        | 1 pc |
| 880  | 06004 | GASKET-SHAFT SEAL COVER                                          | 1 pc |
| 882  | 06005 | RADIAL-SHAFT SEAL RING                                           | 1 pc |
| 1999 |       | ----- ASSEMBLY KITS -----                                        | 1 pc |
| 2000 | 08498 | SET-VALVE PLATE                                                  | 3 pc |
| 2005 | 08820 | SET-CYLINDER COVER STANDARD                                      | 3 pc |
| 2010 | 08012 | SET-SHAFT SEAL<br>FOR MINERAL OIL-VERSION                        | 1 pc |
|      | 82182 | SET-SHAFT SEAL FX<br>FOR ESTER OIL/X-VERSION                     | 1 pc |
| 2020 | 08795 | SET-OIL PUMP                                                     | 1 pc |
| 2030 | 80106 | SET-PISTON ø80 (OPTIMIZED)                                       | 6 pc |
| 2040 | 08491 | SET-PISTON-CONN.W.3 RINGS/80                                     | 6 pc |
| 2050 | 08403 | SET-CRANKSHAFT 68 STROKE                                         | 1 pc |
| 2060 | 08398 | SET-SHUT-OFF VALVE NS38                                          | 1 pc |
| 2070 | 08087 | SET-SHUT-OFF VALVE NS50                                          | 1 pc |
| 2080 | 08130 | SET-SIGHT GLASS ø62                                              | 1 pc |
| 2090 | 08493 | SET-GASKETS<br>NOT SHOWN                                         | 1 pc |
| 2100 | 08435 | SET-CONNECTING ROD                                               | 6 pc |
| 2110 | 08465 | SET-REAR BEARING                                                 | 1 pc |
| 2140 | 80884 | SET-FRONT BEARING FLANGE                                         | 1 pc |
| 2220 | 08457 | SET-OIL STRAINER                                                 | 1 pc |
| 2999 |       | ----- ACCESSORIES -----                                          | 1 pc |
| 3100 | 81301 | SET-FLYWHEEL ø322                                                | 1 pc |
| 3101 | 08821 | SET-SU/CR92 230V AC<br>SPARE PART ONLY,NOT RETROFIT.             | 1 pc |
|      | 80478 | SET-SU/CR92 110V AC<br>SPARE PART ONLY,NOT RETROFIT.             | 1 pc |
| 3110 | 82012 | SET-VALVE BODY SU/CR92                                           | 1 pc |
| 3111 | 05986 | O-RING ø45,69X2,62 GREEN                                         | 1 pc |
| 3112 | 05143 | DISC ø30X16X2,0                                                  | 1 pc |
| 3113 | 05885 | KNURLED NUT M15X1 WITH O-RING                                    | 1 pc |
|      | 51744 | KNURLED NUT M15X1 W.O-RING<br>ONLY FOR Ø16 SOLENOID COIL         | 1 pc |
| 3120 | 08540 | SET-SOLENOID COIL 230V AC                                        | 1 pc |
|      | 80477 | SET-SOLENOID COIL 110V AC                                        | 1 pc |
| 3200 | 82335 | SET-FLEX.SHAFT COUPL. WK190.60<br>NOT AVAILABLE ANYMORE/INACTIVE | 1 pc |
|      | 82345 | SET-FLEX.SHAFT COUPL. WK190.60<br>NOT AVAILABLE ANYMORE/INACTIVE | 1 pc |
|      | 82346 | SET-FLEX.SHAFT COUPL. WK190.60<br>NOT AVAILABLE ANYMORE/INACTIVE | 1 pc |

|      |                |                                                                                                           |              |
|------|----------------|-----------------------------------------------------------------------------------------------------------|--------------|
|      | 82347          | SET-FLEX.SHAFT COUPL. WK190.60<br>NOT AVAILABLE ANYMORE/INACTIVE                                          | 1 pc         |
|      | 82348          | SET-FLEX.SHAFT COUPL. WK190.60<br>NOT AVAILABLE ANYMORE/INACTIVE                                          | 1 pc         |
| 3300 | 08821<br>80478 | SET-SU/CR92 230V AC<br>SET-SU/CR92 110V AC                                                                | 1 pc<br>1 pc |
| 3305 | 08810<br>08815 | SET-CAP.REG.CR92 230V AC<br>WITH CYLINDER COVER<br>SET-CAP.REG.CR92 110V AC<br>WITH CYLINDER COVER        | 1 pc<br>1 pc |
| 3310 | 82012          | SET-VALVE BODY SU/CR92                                                                                    | 1 pc         |
| 3311 | 05986          | O-RING ø45,69X2,62 GREEN                                                                                  | 1 pc         |
| 3312 | 05143          | DISC ø30X16X2,0                                                                                           | 1 pc         |
| 3313 | 05885<br>51744 | KNURLED NUT M15X1 WITH O-RING<br>KNURLED NUT M15X1 W.O-RING<br>ONLY FOR Ø16 SOLENOID COIL                 | 1 pc<br>1 pc |
| 3320 | 08540<br>80477 | SET-SOLENOID COIL 230V AC<br>SET-SOLENOID COIL 110V AC                                                    | 1 pc<br>1 pc |
| 3322 | 03644          | CYLINDER COVER F.CR                                                                                       | 1 pc         |
| 3323 | 05514          | LOCKING SCREW 1/8"NPTF                                                                                    | 1 pc         |
| 3325 | 06486          | GASKET-UPPER VALVE PLATE<br>FOR STANDARD CYLINDER COVER                                                   | 1 ST         |
| 3330 | 06828          | HEX.HEAD SCREW M10X75<br>FOR STANDARD CYLINDER COVER                                                      | 10 ST        |
| 3335 | 05492          | CYLINDER HEAD SCREW M10X75<br>FOR STANDARD CYLINDER COVER                                                 | 3 ST         |
| 3360 | 08954          | SET-CYLINDER COVER F.CR92                                                                                 | 1 pc         |
| 3400 | 08439          | SET-BASE PLATE ELEVATED                                                                                   | 1 pc         |
| 3410 | 05100          | GASKET-BASE PLATE                                                                                         | 1 pc         |
| 3420 | 05455          | HEX.HEAD SCREW M10X110                                                                                    | 20 pc        |
| 3450 | 08130          | SET-SIGHT GLASS ø62                                                                                       | 3 pc         |
| 3460 | 05153<br>51897 | O-RING ø34,59X2,62<br>FOR MINERAL OIL-VERSION<br>O-RING ø34,59x2,62; X-VERSION<br>FOR ESTER OIL/X-VERSION | 3 pc<br>1 pc |
| 3470 | 06001          | SIGHT GLASS ø62                                                                                           | 3 pc         |
| 3480 | 05402          | HEX.HEAD SCREW M6X16                                                                                      | 12 pc        |
| 3500 | 81139          | SET-OIL PRESS.SAFETY SW.MP54                                                                              | 1 pc         |
| 3600 | 80973          | SET-OIL SERVICE VALVE                                                                                     | 1 pc         |
| 3700 | 81858          | SET-OIL PRESS.SENSOR/DELTA-PII                                                                            | 1 pc         |
| 3710 | 81264          | SET-OIL PRESS.SENSOR/DELTA-PII                                                                            | 1 pc         |
| 3720 | 82202          | SET-SCREW-IN P.DELTA-P/INT250                                                                             | 1 pc         |
| 3730 | 52031<br>51924 | O-RING ø10,5x1,5<br>FOR MINERAL OIL-VERSION<br>O-RING ø10,5x1,5; X-VERSION<br>FOR ESTER OIL/X-VERSION     | 1 pc<br>1 pc |
| 3740 | 05724          | SEAL RING 26x20x1,5                                                                                       | 1 pc         |
| 3800 | 80454          | SET-THERM PROT.TH.                                                                                        | 1 pc         |

|      |                                               |                                                                                                                                                                                                                                              |                                          |
|------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 3950 | 08426<br>08430                                | SET-OILS.HEAT.140W 230V AC<br>SET-OILS.HEAT.140W 110-130V,SP                                                                                                                                                                                 | 1 pc<br>1 pc                             |
| 3999 | 02524<br>02525<br><br>02520<br>02521<br>02522 | OIL BOCKLub A46 / 1 LTR.CAN<br>OIL BOCKLub A46 / 5 LTR.CAN<br>NOT SHOWN<br>ONLY FOR R22-COMPRESSORS !<br>OIL BOCKLub E55 / 1 LTR.CAN<br>OIL BOCKLub E55 / 5 LTR.CAN<br>OIL BOCKLub E55 / 10 LTR.CAN<br>NOT SHOWN<br>ONLY FOR X-COMPRESSORS ! | 1 pc<br>1 pc<br><br>1 pc<br>1 pc<br>1 pc |