

## Spare part list for HGX24/55-4 ML CO2 T

| Position | Item No. | Description                                              | Quantity |
|----------|----------|----------------------------------------------------------|----------|
| 50       | 52149    | GASKET-LOWER VALVE PLATE ø28                             | 2 pc     |
| 70       | 51961    | GASKET-UPPER VALVE PLATE                                 | 2 pc     |
| 100      | 06400    | LOCKING SCREW M22X1,5                                    | 1 pc     |
| 110      | 05791    | SEAL RING 24,2x27,8x2                                    | 1 pc     |
| 111      | 05342    | SEAL RING 22x27x2                                        | 1 pc     |
| 180      | 05756    | HEX.HEAD SCREW M10X90                                    | 12 pc    |
| 185      | 05457    | HEX.HEAD SCREW M10X70                                    | 10 pc    |
| 210      | 51956    | GASKET-VALVE FLANGE                                      | 1 pc     |
| 220      | 05472    | CYLINDER HEAD SCREW M10X30                               | 4 pc     |
| 290      | 70438    | PISTONRING PISTON 28                                     | 4 pc     |
| 295      | 70438    | PISTONRING PISTON 28                                     | 4 pc     |
| 300      | 70438    | PISTONRING PISTON 28                                     | 4 pc     |
| 370      | 05447    | HEX.HEAD SCREW M10X35                                    | 2 pc     |
| 411      | 50636    | GASKET-VALVE FLANGE                                      | 1 pc     |
| 470      | 52458    | O-RING ø58,42x2,62                                       | 1 pc     |
| 490      | 51973    | OIL STRAINER                                             | 1 pc     |
| 495      | 51998    | PERMANENT MAGNET 40x20x10                                | 1 pc     |
| 510      | 05801    | LOCKING SCREW 1/4"NPTF                                   | 1 pc     |
| 516      | 51492    | LOCKING SCREW M12x1,5                                    | 1 pc     |
| 517      | 51497    | SEAL RING 12x17x1,5                                      | 1 pc     |
| 520      | 05514    | LOCKING SCREW 1/8"NPTF                                   | 1 pc     |
| 532      | 05514    | LOCKING SCREW 1/8"NPTF                                   | 1 pc     |
| 535      | 05514    | LOCKING SCREW 1/8"NPTF                                   | 1 pc     |
| 540      | 05514    | LOCKING SCREW 1/8"NPTF                                   | 1 pc     |
| 590      | 50955    | O-RING ø28,30x1,78                                       | 1 pc     |
| 595      | 51299    | LOCKING SCREW 1 1/8"-18 UNEF                             | 1 pc     |
| 596      | 50955    | O-RING ø28,30x1,78                                       | 1 pc     |
| 600      | 51955    | TRANSPORT BRACKET                                        | 1 pc     |
| 744      | 50232    | THREADED PIN M8X1,25/8 LONG                              | 2 pc     |
| 750      | 50292    | HEX.HEAD SCREW M12X45                                    | 24 pc    |
| 760      | 52021    | GASKET-BEARING FL.+MOTOR COVER                           | 1 pc     |
| 790      | 50015    | FEATHER KEY A5X5X25 DIN 6885                             | 1 pc     |
| 800      | 04425    | DISC ø50X12,5X8                                          | 1 pc     |
| 820      | 06391    | HEX.HEAD SCREW M12X35/PREC.<br>FOR HGX24/55-4 ML CO2 T   | 1 pc     |
|          | 51046    | HEX.HEAD SCREW M12X55/PREC.<br>FOR HGX24/55-4 S+SH CO2 T | 1 pc     |

|      |       |                                                                                                  |       |
|------|-------|--------------------------------------------------------------------------------------------------|-------|
| 1010 | 50292 | HEX.HEAD SCREW M12X45                                                                            | 24 pc |
| 1016 | 05514 | LOCKING SCREW 1/8"NPTF                                                                           | 1 pc  |
| 1018 | 52021 | GASKET-BEARING FL.+MOTOR COVER                                                                   | 1 pc  |
| 1019 | 50397 | CYLINDER PIN 4M6x14                                                                              | 2 pc  |
| 1060 | 51959 | GASKET-TERMINAL BOARD                                                                            | 1 pc  |
| 1070 | 06067 | CYLINDER HEAD SCREW M8X25                                                                        | 6 pc  |
| 1115 | 06354 | HEX.HEAD SCREW W.FLANGE M6X16                                                                    | 4 pc  |
| 1120 | 05652 | DISC B5,3                                                                                        | 12 pc |
| 1130 | 06258 | BRIDGE ELECTRIC CONNECTION                                                                       | 3 pc  |
| 1141 | 51568 | SLOTTED SH.METAL SCREW C3,5X19                                                                   | 2 pc  |
| 1150 | 05627 | HEX.HEAD NUT M5 (MS)                                                                             | 12 pc |
| 1179 | 06918 | FEATHER KEY A5X5X60 DIN 6885                                                                     | 1 pc  |
| 1191 | 06626 | HEX.HEAD SCREW M6X10                                                                             | 4 pc  |
| 1192 | 52493 | DISC A6,4                                                                                        | 4 pc  |
| 1202 | 50233 | THREADED PIN M10X14                                                                              | 2 pc  |
| 1210 | 50636 | GASKET-VALVE FLANGE                                                                              | 1 pc  |
| 1220 | 05472 | CYLINDER HEAD SCREW M10X30                                                                       | 2 pc  |
| 1999 |       | ----- ASSEMBLY KITS -----                                                                        | 1 pc  |
| 2000 | 82224 | SET-VALVE PLATE                                                                                  | 2 pc  |
| 2020 | 82174 | SET-OIL PUMP                                                                                     | 1 pc  |
| 2040 | 82147 | SET-PISTON-CONN.W.3 RINGS/28                                                                     | 4 pc  |
| 2050 | 82427 | SET-CRANKSHAFT 21,5 STROKE                                                                       | 1 pc  |
| 2080 | 80830 | SET-SIGHT GLASS ø22                                                                              | 1 pc  |
| 2090 | 82168 | SET-GASKETS<br>NOT SHOWN                                                                         | 1 pc  |
| 2110 | 82153 | SET-REAR BEARING FLANGE                                                                          | 1 pc  |
| 2130 | 82154 | SET-MOTOR 4KW D/S<br>FOR HGX24/55-4 ML CO2 T                                                     | 1 pc  |
|      | 82184 | SET-MOTOR 4KW D/S<br>290/500V 50HZ (330/575V 60HZ)<br>SPECIAL VOLTAGE                            | 1 pc  |
|      | 82185 | FOR HGX24/55-4 ML CO2 T<br>SET-MOTOR 4KW D/S<br>400/690V 50HZ (460/830V 60HZ)<br>SPECIAL VOLTAGE | 1 pc  |
|      | 82186 | FOR HGX24/55-4 ML CO2 T<br>SET-MOTOR 4KW D/S<br>400/690V 50HZ<br>SPECIAL VOLTAGE                 | 1 pc  |
|      | 82187 | FOR HGX24/55-4 ML CO2 T<br>SET-MOTOR 4KW D/S<br>230/400V 60HZ<br>SPECIAL VOLTAGE                 | 1 pc  |
|      | 82188 | FOR HGX24/55-4 ML CO2 T<br>SET-MOTOR 4KW D/S<br>400/690V 50HZ (460/830V 60HZ)<br>SPECIAL VOLTAGE | 1 pc  |
|      | 82155 | FOR HGX24/55-4 ML CO2 T<br>SET-MOTOR 5,5KW D/S (OPT.)                                            | 1 pc  |
|      | 82189 | FOR HGX24/55-4 S+SH CO2 T<br>SET-MOTOR 5,5KW D/S (OPT.)<br>400/690V 50HZ<br>SPECIAL VOLTAGE      | 1 pc  |

|      |                         |                                                                                                                          |                      |
|------|-------------------------|--------------------------------------------------------------------------------------------------------------------------|----------------------|
|      | 82190                   | FOR HGX24/55-4 S+SH CO2 T<br>SET-MOTOR 5,5KW D/S (OPT.)<br>230/400V 60HZ<br>SPECIAL VOLTAGE<br>FOR HGX24/55-4 S+SH CO2 T | 1 pc                 |
| 2160 | 82157                   | SET-TERMINAL BOARD                                                                                                       | 1 pc                 |
| 2170 | 81567                   | SET-TERMINAL BOX / PA,BLUE                                                                                               | 1 pc                 |
| 2190 | 81042                   | SET-INT69 G MOTOR PROT.230V AC                                                                                           | 1 pc                 |
| 2450 | 80542                   | SET-DECOMPRESSION VALVE HP                                                                                               | 1 pc                 |
| 2520 | 82159                   | SET-MOTOR COVER                                                                                                          | 1 pc                 |
| 2540 | 82160                   | SET-FILTER SUCTION SIDE                                                                                                  | 1 pc                 |
| 2950 | 81282                   | SET-OILS.HEAT. 80W 230V AC/V2A                                                                                           | 1 pc                 |
| 2999 |                         | ----- ACCESSORIES -----                                                                                                  | 1 pc                 |
| 3150 | 82467<br>82372          | SET-OIL LEVEL REGULAT.24V AC<br>SET-OIL LEVEL REGULAT.230V AC                                                            | 1 pc<br>1 pc         |
| 3152 | 52364                   | RELAY CABLE OIL LEVEL REG.                                                                                               | 1 pc                 |
| 3154 | 52363                   | POWER CABLE OIL LEVEL REG.                                                                                               | 1 pc                 |
| 3250 | 82434                   | SET-INT69 G DIAGNOSE 24V AC                                                                                              | 1 pc                 |
| 3300 | 82275<br>82276<br>82277 | SET-DCR22 CO2 230V AC<br>SET-DCR22 CO2 110V AC<br>SET-DCR22 CO2 24V DC                                                   | 1 pc<br>1 pc<br>1 pc |
| 3310 | 82283                   | SET-VALVE BODY DCR22 CO2                                                                                                 | 1 pc                 |
| 3311 | 52210                   | GASKET-FLANGE F.DCR22 CO2                                                                                                | 1 pc                 |
| 3313 | 52210                   | GASKET-FLANGE F.DCR22 CO2                                                                                                | 1 pc                 |
| 3320 | 82280<br>82281<br>82282 | SET-SOLEN.COIL 230V AC<br>SET-SOLEN.COIL 110V AC<br>SET-SOLEN.COIL 24V DC                                                | 1 pc<br>1 pc<br>1 pc |
| 3322 | 52215                   | CYLINDER COVER F.DCR22 CO2                                                                                               | 1 pc                 |
| 3325 | 51961                   | GASKET-UPPER VALVE PLATE                                                                                                 | 1 pc                 |
| 3330 | 05756                   | HEX.HEAD SCREW M10X90                                                                                                    | 6 pc                 |
| 3340 | 05756                   | HEX.HEAD SCREW M10X90                                                                                                    | 3 pc                 |
| 3341 | 05457                   | HEX.HEAD SCREW M10X70                                                                                                    | 2 pc                 |
| 3345 | 05646                   | DISC A10,5                                                                                                               | 3 pc                 |
| 3350 | 05514                   | LOCKING SCREW 1/8"NPTF                                                                                                   | 1 pc                 |
| 3352 | 06931                   | LOCKING SCREW G1/8"                                                                                                      | 1 pc                 |
| 3354 | 06927                   | SEAL DISC 13,5x10x1                                                                                                      | 1 pc                 |
| 3360 | 82278                   | SET-CYLINDER COV.F.DCR22 CO2                                                                                             | 1 pc                 |
| 3370 | 82287                   | SET-NON-RETURN VALVE                                                                                                     | 1 pc                 |
| 3440 | 80541                   | SET-DECOMPRESSION VALVE LP                                                                                               | 1 pc                 |
| 3500 | 82161                   | SET-SHUT-OFF VALVE ø22+7/8"<br>WITH SOLDER/WELDING CONNECTION                                                            | 1 pc                 |
| 3520 | 50636                   | GASKET-VALVE FLANGE                                                                                                      | 1 pc                 |
| 3530 | 05472                   | CYLINDER HEAD SCREW M10X30                                                                                               | 2 pc                 |

|      |       |                                                               |      |
|------|-------|---------------------------------------------------------------|------|
| 3600 | 82163 | SET-SHUT-OFF VALVE ø18<br>WITH CUTTING RING                   | 1 pc |
|      | 82166 | SET-SHUT-OFF VALVE ø19+3/4"<br>WITH SOLDER/WELDING CONNECTION | 1 pc |
| 3611 | 50578 | 2-EDGE CUTT.RING ø18                                          | 1 pc |
| 3612 | 50753 | UNION NUT M27x2 / ø18                                         | 1 pc |
| 3620 | 51956 | GASKET-VALVE FLANGE                                           | 1 pc |
| 3630 | 05472 | CYLINDER HEAD SCREW M10X30                                    | 4 pc |
| 3750 | 82122 | SET-OIL TEMP.SENS.CPL.1/8"NPTF<br>Pt1000 SCREW-IN SENSOR      | 1 pc |
| 3800 | 80907 | SET-THERM PROT.TH.1/8"NPTF                                    | 1 pc |
| 3850 | 82284 | SET-HOT GAS TEMPERATURE SENSOR                                | 1 pc |
| 3900 | 82136 | SET-ADAPT.F.SHUT-OFF VALVE                                    | 1 pc |
| 3950 | 80689 | SET-OILS.HEAT. 80W 24V DC/V2A                                 | 1 pc |
| 3960 | 07006 | GASKET-TERMINAL BOX                                           | 1 pc |
| 3980 | 82131 | SET-TERMINAL BOX / ST,BLUE                                    | 1 pc |
| 3990 | 81489 | SET-ANTI-VIBRATION PADS                                       | 1 pc |
| 3995 | 82100 | SET-COLOR CANS 6x150ML<br>NOT SHOWN                           | 1 pc |
| 3999 | 02515 | OIL BOCKLub E85 / 1 LTR.CAN<br>FOR ML+S-VERSION<br>NOT SHOWN  | 1 pc |
|      | 02493 | REFR.MACH.OIL C170E/ 1 LTR.CAN<br>FOR SH-VERSION<br>NOT SHOWN | 1 pc |