

## Spare part list for HGX7/2110-4

| Position | Item No. | Description                                                                            | Quantity |
|----------|----------|----------------------------------------------------------------------------------------|----------|
| 20       | 06696    | BASE PLATE H=24.0                                                                      | 1 pc     |
| 40       | 06080    | HEX.HEAD SCREW M10X30                                                                  | 20 pc    |
| 50       | 06578    | GASKET-LOWER VALVE PLATE ø80                                                           | 3 pc     |
| 60       | 07845    | VALVE PLATE CPL. ø70/75/80<br>FOR HG(X)7<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>2000     | 3 pc     |
|          | 50703    | VALVE PLATE CPL. ø70/75/80<br>FOR HGX7 R134a<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>2000 | 3 pc     |
| 70       | 06486    | GASKET-UPPER VALVE PLATE<br>FOR HG(X)7                                                 | 3 pc     |
|          | 06484    | GASKET-UPPER VALVE PLATE<br>FOR HGX7 R134a                                             | 3 pc     |
| 100      | 07940    | DECOMPRESSION VALVE M24X1,5<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>2000                  | 3 pc     |
| 110      | 05791    | SEAL RING 24,2x27,8x2                                                                  | 3 pc     |
| 120      | 07855    | PRESSURE BALANCE VALVE CPL.                                                            | 2 pc     |
| 160      | 05492    | CYLINDER HEAD SCREW M10X75<br>FOR HG(X)7                                               | 6 pc     |
|          | 06828    | HEX.HEAD SCREW M10X75<br>FOR HGX7 R134a                                                | 6 pc     |
| 170      | 03643    | CYLINDER COVER STANDARD<br>FOR HG(X)7                                                  | 1 pc     |
|          | 33388    | CYLINDER COVER STANDARD<br>FOR HGX7 R134a                                              | 1 pc     |
| 175      | 03644    | CYLINDER COVER F.CR<br>FOR HG(X)7                                                      | 2 pc     |
|          | 33388    | CYLINDER COVER STANDARD<br>FOR HGX7 R134a                                              | 2 pc     |
| 178      | 05514    | LOCKING SCREW 1/8"NPTF                                                                 | 3 pc     |
| 180      | 06828    | HEX.HEAD SCREW M10X75                                                                  | 33 pc    |
| 190      | 05986    | O-RING ø45,69X2,62 GREEN<br>ONLY FOR HG(X)7<br>FOR MINERAL OIL-VERSION                 | 2 pc     |
|          | 51901    | O-RING ø45,69x2,62; X-VERSION<br>ONLY FOR HG(X)7<br>FOR ESTER OIL/X-VERSION            | 2 pc     |
| 195      | 06495    | LOCKING SCREW M45X1,5<br>ONLY FOR HG(X)7                                               | 2 pc     |
| 210      | 05097    | GASKET RING 70X54X1,0                                                                  | 1 pc     |
| 220      | 06684    | HEX.HEAD SCREW M12X85                                                                  | 4 pc     |
| 270      | 05993    | PISTON PIN ø20X13X66<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>2030                         | 6 pc     |
| 280      | 05569    | CIRCLIP 20X1 DIN 472                                                                   | 12 pc    |
| 290      | 06369    | DOUBLE BEVEL OIL CONT.RING 80                                                          | 6 pc     |
| 295      | 06368    | OIL SCRAPER RING PISTON 80                                                             | 6 pc     |
| 300      | 06367    | TAPERED COMPR.RING PIS.80 CHR.                                                         | 6 pc     |
| 331      | 05796    | CAP NUT M27X2                                                                          | 1 pc     |

|     |                         |                                                                                                           |                      |
|-----|-------------------------|-----------------------------------------------------------------------------------------------------------|----------------------|
| 332 | 05800<br>05545<br>05528 | SCREW-IN FITTING DIN 8906<br>SEALING CAP 7/16"UNF<br>UNION NUT 7/16"UNF                                   | 1 pc<br>1 pc<br>1 pc |
| 340 | 05113                   | GASKET RING 52X38X1,0                                                                                     | 1 pc                 |
| 350 | 06009                   | SOLDERED BUSH ø42                                                                                         | 1 pc                 |
| 360 | 05787                   | SQUARE FLANGE (NS32-38)                                                                                   | 1 pc                 |
| 371 | 05797                   | CAP NUT M36X1,5                                                                                           | 1 pc                 |
| 372 | 05800<br>05545<br>05528 | SCREW-IN FITTING DIN 8906<br>SEALING CAP 7/16"UNF<br>UNION NUT 7/16"UNF                                   | 1 pc<br>1 pc<br>1 pc |
| 374 | 05112                   | GASKET RING 75X61X1,0                                                                                     | 1 pc                 |
| 375 | 05216                   | SOLDERED BUSH ø2 5/8" + ø64                                                                               | 1 pc                 |
| 376 | 05228                   | SQUARE FLANGE (NS60)                                                                                      | 1 pc                 |
| 377 | 05415                   | HEX.HEAD SCREW M16X50                                                                                     | 4 pc                 |
| 380 | 05463                   | HEX.HEAD SCREW M12X50                                                                                     | 4 pc                 |
| 460 | 07788                   | OIL PUMP COMPLETE                                                                                         | 1 pc                 |
| 470 | 05094                   | GASKET-F.OIL P.+REAR BEAR.FL.                                                                             | 1 pc                 |
| 480 | 05421                   | HEX.HEAD SCREW M8X25                                                                                      | 6 pc                 |
| 485 | 05426                   | HEX.HEAD SCREW M8X40                                                                                      | 2 pc                 |
| 490 | 06723                   | OIL STRAINER                                                                                              | 1 pc                 |
| 500 | 05342                   | SEAL RING 22x27x2                                                                                         | 3 pc                 |
| 505 | 50055                   | LOCKING SCREW W.MAGNET                                                                                    | 1 pc                 |
| 506 | 06400                   | LOCKING SCREW M22X1,5                                                                                     | 1 pc                 |
| 508 | 05801                   | LOCKING SCREW 1/4"NPTF                                                                                    | 1 pc                 |
| 510 | 06348                   | LOCKING SCREW M22X1,5                                                                                     | 1 pc                 |
| 520 | 05514                   | LOCKING SCREW 1/8"NPTF                                                                                    | 5 pc                 |
| 527 | 05801                   | LOCKING SCREW 1/4"NPTF                                                                                    | 2 pc                 |
| 530 | 05752                   | T-PIECE WITH SCHRADER CONNECT.                                                                            | 1 pc                 |
| 532 | 05514                   | LOCKING SCREW 1/8"NPTF                                                                                    | 1 pc                 |
| 540 | 51723                   | SCREW-IN ANGLE PIECE DIN 8906                                                                             | 1 pc                 |
| 570 | 06082                   | SIGHT GLASS ø60<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>2080                                                 | 2 pc                 |
| 580 | 05402                   | HEX.HEAD SCREW M6X16                                                                                      | 6 pc                 |
| 590 | 06218<br>51904          | O-RING ø32,99x2,62<br>FOR MINERAL OIL-VERSION<br>O-RING ø32,99x2,62; X-VERSION<br>FOR ESTER OIL/X-VERSION | 2 pc<br>2 pc         |
| 600 | 06237                   | RING SCREW M16                                                                                            | 1 pc                 |
| 625 | 07803                   | NON-RETURN VALVE ø12 CPL.                                                                                 | 1 pc                 |
| 740 | 51603                   | REAR BEARING FLANGE                                                                                       | 1 pc                 |
| 744 | 50232                   | THREADED PIN M8X1,25/8 LONG                                                                               | 2 pc                 |
| 750 | 06080                   | HEX.HEAD SCREW M10X30                                                                                     | 10 pc                |

|      |       |                                                                                             |       |
|------|-------|---------------------------------------------------------------------------------------------|-------|
| 765  | 06878 | GASKET-REAR BEARING FLANGE                                                                  | 1 pc  |
| 770  | 05691 | CYLINDER PIN 6M6x15                                                                         | 1 pc  |
| 790  | 06879 | FEATHER KEY A9,56X8X60 DIN6885                                                              | 1 pc  |
| 800  | 04425 | DISC ø50X12,5X8                                                                             | 1 pc  |
| 810  | 05666 | SPRING WASHER B12                                                                           | 1 pc  |
| 820  | 06836 | HEX.HEAD SCREW M12X40/PREC.                                                                 | 1 pc  |
| 1000 | 04274 | MOTOR COVER/PAINTED                                                                         | 1 pc  |
| 1010 | 05455 | HEX.HEAD SCREW M10X110                                                                      | 8 pc  |
| 1015 | 06882 | HEX.HEAD SCREW M10X170                                                                      | 2 pc  |
| 1017 | 06883 | O-RING ø278,77X5,33<br>FOR MINERAL OIL-VERSION                                              | 1 pc  |
|      | 51908 | O-RING ø278,77x5,33; X-VERSION<br>FOR ESTER OIL/X-VERSION                                   | 1 pc  |
| 1020 | 50060 | THREADED PIN M8X20/PREC.                                                                    | 2 pc  |
| 1022 | 06880 | FEATHER KEY A4,63X5X70                                                                      | 1 pc  |
| 1030 | 06877 | MOTOR FOOT                                                                                  | 1 pc  |
| 1040 | 05472 | CYLINDER HEAD SCREW M10X30                                                                  | 2 pc  |
| 1050 | 06864 | TERMINAL BOARD                                                                              | 1 pc  |
| 1055 | 05074 | INSULATION FOIL NPN 5, PIERCED                                                              | 1 pc  |
| 1060 | 06876 | GASKET-TERMINAL BOARD<br>FOR SERIAL VOLTAGE                                                 | 1 pc  |
|      | 06876 | GASKET-TERMINAL BOARD<br>FOR SPECIAL VOLTAGE<br>230/400 D/S 50/60HZ<br>(+ 280/460 D/S 60HZ) | 2 pc  |
| 1062 | 06908 | INTERMEDIATE PLATE<br>FOR SPECIAL VOLTAGE<br>230/400 D/S 50/60HZ<br>(+ 280/460 D/S 60HZ)    | 1 pc  |
| 1070 | 05447 | HEX.HEAD SCREW M10X35<br>FOR SERIAL VOLTAGE                                                 | 10 pc |
|      | 05458 | HEX.HEAD SCREW M10X50<br>FOR SPECIAL VOLTAGE<br>230/400 D/S 50/60HZ<br>(+ 280/460 D/S 60HZ) | 10 pc |
| 1080 | 03964 | TERMINAL BOX CPL./ST,BLUE<br>SERIAL                                                         | 1 pc  |
|      | 04465 | TERMINAL BOX CPL./ST,BLUE-BCM<br>WITH INSPECTION WINDOW FOR BCM                             | 1 pc  |
| 1090 | 06872 | GASKET-TERMINAL BOX                                                                         | 1 pc  |
| 1100 | 06061 | HEX.HEAD SCREW M6X12 - A2                                                                   | 4 pc  |
| 1103 | 05418 | HEX.HEAD SCREW M8X16 - A2                                                                   | 1 pc  |
| 1110 | 05664 | SERRATED WASHER A6,4                                                                        | 4 pc  |
| 1120 | 06043 | LOCK WASHER S M6                                                                            | 12 pc |
| 1123 | 05654 | LOCK WASHER S M8 - A2                                                                       | 1 pc  |
| 1125 | 05654 | LOCK WASHER S M8 - A2                                                                       | 8 pc  |
| 1130 | 05916 | BRIDGE FOR TERMINAL BOARD                                                                   | 3 pc  |
| 1150 | 05629 | HEX.HEAD NUT M8 - A2                                                                        | 6 pc  |

|      |       |                                                                                                    |      |
|------|-------|----------------------------------------------------------------------------------------------------|------|
| 1151 | 06380 | GROUND CABLE                                                                                       | 2 pc |
| 1160 | 06626 | HEX.HEAD SCREW M6X10                                                                               | 6 pc |
| 1170 | 06098 | STATOR 37KW D/SSS<br>FOR HG(X)7/2110-4<br>UP TO DESIGN KEY 039                                     | 1 pc |
|      | 70200 | STATOR 37KW S/SS [PW50:50]<br>FOR HG(X)7/2110-4<br>AS OF DESIGN KEY 040                            | 1 pc |
|      | 06099 | STATOR 44KW D/SSS<br>NOT AVAILABLE ANYMORE/INACTIVE<br>FOR HG(X)7/2110-4 S<br>UP TO DESIGN KEY 039 | 1 pc |
|      | 70202 | STATOR 45KW S/SS [PW50:50]<br>FOR HG(X)7/2110-4 S<br>AS OF DESIGN KEY 040                          | 1 pc |
| 1175 | 06094 | ROTOR 37KW<br>FOR HG(X)7/2110-4<br>UP TO DESIGN KEY 039                                            | 1 pc |
|      | 70203 | ROTOR 33KW/37KW/40KW<br>FOR HG(X)7/2110-4<br>AS OF DESIGN KEY 040                                  | 1 pc |
|      | 06095 | ROTOR 44KW<br>FOR HG(X)7/2110-4 S<br>UP TO DESIGN KEY 039                                          | 1 pc |
|      | 70204 | ROTOR 45KW<br>FOR HG(X)7/2110-4 S<br>AS OF DESIGN KEY 040                                          | 1 pc |
| 1190 | 05983 | FILTER SUCTION SIDE<br>FOR HG(X)7                                                                  | 1 pc |
|      | 50850 | FILTER SUCTION SIDE<br>FOR HGX7 R134a                                                              | 1 pc |
| 1210 | 05111 | GASKET RING 81,5X60X1<br>FOR HG(X)7                                                                | 2 pc |
|      | 05111 | GASKET RING 81,5X60X1<br>FOR HGX7 R134a                                                            | 1 pc |
| 1211 | 06626 | HEX.HEAD SCREW M6X10<br>(LOCKED WITH LOCTITE 243)<br>FOR HGX7 R134a                                | 4 ST |
| 1220 | 05755 | HEX.HEAD SCREW M16X110                                                                             | 4 pc |
| 1520 | 08876 | SET-ANTI-VIBRATION PADS                                                                            | 1 pc |
| 1999 |       | ----- ASSEMBLY KITS -----                                                                          | 1 pc |
| 2000 | 08498 | SET-VALVE PLATE<br>FOR HG(X)7                                                                      | 3 pc |
|      | 80720 | SET-VALVE PLATE<br>FOR HGX7 R134a                                                                  | 3 pc |
| 2020 | 80116 | SET-OIL PUMP                                                                                       | 1 pc |
| 2030 | 80106 | SET-PISTON ø80 (OPTIMIZED)                                                                         | 6 pc |
| 2040 | 80112 | SET-PISTON-CONN.(80,OPT.)<br>NOT AVAILABLE ANYMORE/INACTIVE                                        | 6 pc |
| 2050 | 80092 | SET-CRANKSHAFT 70 STROKE                                                                           | 1 pc |
| 2060 | 08398 | SET-SHUT-OFF VALVE NS38                                                                            | 1 pc |
| 2070 | 80151 | SET-SHUT-OFF VALVE NS60                                                                            | 1 pc |
| 2080 | 80093 | SET-SIGHT GLASS ø60                                                                                | 2 pc |
| 2090 | 80094 | SET-GASKETS<br>NOT SHOWN                                                                           | 1 pc |
| 2095 | 81262 | SET-GASKETS F.BASE PLATE                                                                           | 1 pc |
| 2100 | 08306 | SET-CONNECTING ROD                                                                                 | 6 pc |
| 2110 | 80198 | SET-REAR BEARING FLANGE                                                                            | 1 pc |

|      |                |                                                                                                                          |              |
|------|----------------|--------------------------------------------------------------------------------------------------------------------------|--------------|
| 2130 | 80183          | SET-MOTOR 37KW D/SSS<br>FOR HG(X)7/2110-4<br>UP TO DESIGN KEY 039                                                        | 1 pc         |
|      | 81258          | SET-MOTOR 37KW S/SS [PW50:50]<br>FOR HG(X)7/2110-4<br>AS OF DESIGN KEY 040                                               | 1 pc         |
|      | 80188          | SET-MOTOR 37KW D/S<br>NOT AVAILABLE ANYMORE/INACTIVE<br>FOR HG(X)7/2110-4<br>FOR SPECIAL VOLTAGE<br>UP TO DESIGN KEY 039 | 1 pc         |
|      | 81259          | SET-MOTOR 37KW D/S<br>FOR HG(X)7/2110-4<br>FOR SPECIAL VOLTAGE<br>AS OF DESIGN KEY 040                                   | 1 pc         |
|      | 80184          | SET-MOTOR 44KW D/SSS<br>NOT AVAILABLE ANYMORE/INACTIVE<br>FOR HG(X)7/2110-4 S<br>UP TO DESIGN KEY 039                    | 1 pc         |
|      | 81260          | SET-MOTOR 45KW S/SS [PW50:50]<br>FOR HG(X)7/2110-4 S<br>AS OF DESIGN KEY 040                                             | 1 pc         |
|      | 80189          | SET-MOTOR 44KW D/S<br>FOR HG(X)7/2110-4 S<br>FOR SPECIAL VOLTAGE<br>UP TO DESIGN KEY 039                                 | 1 pc         |
|      | 81261          | SET-MOTOR 45KW D/S<br>FOR HG(X)7/2110-4 S<br>FOR SPECIAL VOLTAGE<br>AS OF DESIGN KEY 040                                 | 1 pc         |
| 2160 | 80098          | SET-TERMINAL BOARD                                                                                                       | 1 pc         |
| 2190 | 08102<br>08103 | SET-MOTOR PROT.MP10,AC 230V<br>SET-MOTOR PROT.MP10,DC 24V<br>SPECIAL VERSION                                             | 1 pc<br>1 pc |
| 2220 | 80076          | SET-OIL STRAINER                                                                                                         | 1 pc         |
| 2230 | 80178          | SET-BEARING BUSH ASS.HG7+76e<br>COMPATIBLE AS OF BUILT 06/2010                                                           | 1 pc         |
| 2999 |                | ----- ACCESSORIES -----<br>SU + CR<br>FOR R134a NOT ALLOWED !                                                            | 1 pc         |
| 3100 | 08821          | SET-SU/CR92 230V AC<br>SPARE PART ONLY,NOT RETROFIT.                                                                     | 1 pc         |
| 3110 | 07848          | VALVE BODY SU/CR92                                                                                                       | 1 pc         |
| 3111 | 05986<br>51901 | O-RING ø45,69X2,62 GREEN<br>FOR MINERAL OIL-VERSION<br>O-RING ø45,69x2,62; X-VERSION<br>FOR ESTER OIL/X-VERSION          | 1 pc<br>1 pc |
| 3112 | 05143          | DISC ø30X16X2,0                                                                                                          | 1 pc         |
| 3113 | 05885<br>51744 | KNURLED NUT M15X1 WITH O-RING<br>KNURLED NUT M15X1 W.O-RING<br>ONLY FOR Ø16 SOLENOID COIL                                | 1 pc<br>1 pc |
| 3120 | 07527          | SOLENOID COIL 230V ±10% AC                                                                                               | 1 pc         |
| 3200 | 08948          | SET-CAP.REG.CR92 230V AC                                                                                                 | 1 pc         |
| 3250 | 08140          | SET-BOCK-BCM 2000                                                                                                        | 1 pc         |
| 3260 | 06920          | TAPP.SCREW W.COUNT.HEADC3.5X13                                                                                           | 3 pc         |
| 3270 | 06950          | BOCK-BCM 2000, AC 230V ±10%                                                                                              | 1 pc         |
| 3275 | 06945          | BASE PLATE SNAP-ON MOUNTING                                                                                              | 1 pc         |
| 3280 | 80654          | SET-BOCK-BCM 2000 /INCL.D-P                                                                                              | 1 pc         |
| 3300 | 08821          | SET-SU/CR92 230V AC                                                                                                      | 1 pc         |
| 3310 | 07848          | VALVE BODY SU/CR92                                                                                                       | 2 pc         |

|      |       |                                                                          |       |
|------|-------|--------------------------------------------------------------------------|-------|
| 3311 | 05986 | O-RING ø45,69X2,62 GREEN<br>FOR MINERAL OIL-VERSION                      | 1 pc  |
|      | 51901 | O-RING ø45,69x2,62; X-VERSION<br>FOR ESTER OIL/X-VERSION                 | 1 pc  |
| 3312 | 05143 | DISC ø30X16X2,0                                                          | 2 pc  |
| 3313 | 05885 | KNURLED NUT M15X1 WITH O-RING                                            | 2 pc  |
|      | 51744 | KNURLED NUT M15X1 W.O-RING<br>ONLY FOR Ø16 SOLENOID COIL                 | 2 pc  |
| 3320 | 07527 | SOLENOID COIL 230V ±10% AC                                               | 2 pc  |
| 3400 | 80034 | SET-ADDIT.VENTILA.ø315/HG7,F16                                           | 1 pc  |
| 3410 | 06808 | VENTILATOR CPL.ø315 230V AC                                              | 1 pc  |
| 3415 | 81347 | SET-ASSEMBLY KIT F.IMP.HG7+F16                                           | 1 pc  |
| 3420 | 06890 | HOLDER F.ADDITIONAL VENTILATOR<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>3415 | 2 pc  |
| 3440 | 06278 | HEX.HEAD SCREW M10X80<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>3415          | 4 pc  |
| 3450 | 05445 | HEX.HEAD SCREW M10X25<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>3415          | 4 pc  |
| 3460 | 05646 | DISC A10,5<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>3415                     | 12 pc |
| 3470 | 05665 | SPRING WASHER B10<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>3415              | 4 pc  |
| 3480 | 05630 | HEX.HEAD NUT M10<br>ONLY AVAIL.AS COM.AS.KIT/ITEM:<br>3415               | 4 pc  |
| 3500 | 81139 | SET-OIL PRESS.SAFETY SW.MP54<br>(ACCESSORIE NOT SHOWN)                   | 1 ST  |
| 3510 | 51335 | HOSE LINE,DN 2MM                                                         | 1 pc  |
| 3520 | 51335 | HOSE LINE,DN 2MM                                                         | 1 pc  |
| 3600 | 07946 | SHUT-OFF VALVE 1/4"NPTF-7/16"                                            | 1 pc  |
| 3700 | 81858 | SET-OIL PRESS.SENSOR/DELTA-PII<br>(INCL.SCREW-IN PART+SW.PART)           | 1 pc  |
|      | 80275 | SET-OIL PRESS.SENSOR/INT250                                              | 1 pc  |
| 3710 | 81264 | SET-OIL PRESS.SENSOR/DELTA-PII<br>(ONLY SWITCH PART)                     | 1 pc  |
|      | 81143 | SET-INT250 SWITCH PART                                                   | 1 pc  |
| 3720 | 82202 | SET-SCREW-IN P.DELTA-P/INT250                                            | 1 pc  |
| 3730 | 52031 | O-RING ø10,5x1,5<br>FOR MINERAL OIL-VERSION                              | 1 pc  |
|      | 51924 | O-RING ø10,5x1,5; X-VERSION<br>FOR ESTER OIL/X-VERSION                   | 1 pc  |
| 3740 | 05724 | SEAL RING 26x20x1,5<br>NOT SHOWN                                         | 1 pc  |
| 3750 | 80987 | SET-OIL TEMP.SENS.CPL.1/8"NPTF<br>KTY SCREW-IN SENSOR                    | 1 pc  |
|      | 82122 | SET-OIL TEMP.SENS.CPL.1/8"NPTF<br>Pt1000 SCREW-IN SENSOR                 | 1 pc  |
| 3800 | 08921 | SET-THERM PROT.TH.1/8"NPTF                                               | 1 pc  |
| 3900 | 80259 | SET-ADAPT.F.SHUT-OFF VALVE                                               | 1 pc  |

|      |                                               |                                                                                                                                                                                                                                              |                                          |
|------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| 3910 | 80467                                         | SET-START UNL. BOCK-ESS 106<br>FOR HG(X)7/2110-4<br>40 DEGREE AMBIENTE TEMPERATURE<br>FOR HG(X)7/2110-4 S<br>NOT POSSIBLE<br>NOT AVAILABLE ANYMORE/INACTIVE                                                                                  | 1 pc                                     |
| 3950 | 08426<br>08430                                | SET-OILS.HEAT.140W 230V AC<br>SET-OILS.HEAT.140W 110-130V,SP<br>SPECIAL VERSION                                                                                                                                                              | 1 pc<br>1 pc                             |
| 3995 | 82100                                         | SET-COLOR CANS 6x150ML<br>NOT SHOWN                                                                                                                                                                                                          | 1 pc                                     |
| 3999 | 02524<br>02525<br><br>02520<br>02521<br>02522 | OIL BOCKLub A46 / 1 LTR.CAN<br>OIL BOCKLub A46 / 5 LTR.CAN<br>NOT SHOWN<br>ONLY FOR R22-COMPRESSORS !<br>OIL BOCKLub E55 / 1 LTR.CAN<br>OIL BOCKLub E55 / 5 LTR.CAN<br>OIL BOCKLub E55 / 10 LTR.CAN<br>NOT SHOWN<br>ONLY FOR X-COMPRESSORS ! | 1 pc<br>1 pc<br><br>1 pc<br>1 pc<br>1 pc |